KEGEL et al

Appl. No. 10/593,585

May 4, 2011

## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- (Currently Amended) <u>A computer system comprising: Computer apparatus</u> having:
  - i) one or more data processors;
- ii) persistent storage means memory operatively connectable to said one or more data processors, said persistent storage means memory storing a plurality of media file metadata items, one or more of said media file metadata items containing reference(s) to one or more other media file metadata items, whose metadata is about a media file whose content has been judged by a human to be semantically related to the content of the first media file where the one or more of said media file metadata items containing the reference(s) is about a media file which encodes content that has been judged by an editor to be semantically-related to the content encoded by the media file(s) associated with the media file metadata item(s) to which the reference(s) refer;
- ii) volatile memory means, operatively connectable to said one or more data processors, for storing one or more of said media file metadata items;
- iii) database management system software executable by said one or more data processors to respond to a query by passing media file metadata items meeting one or more criteria specified in said query from said persistent storage memory means to said volatile memory means:
- iv) querying code executable by said one or more data processors to pass a query to said database management system software:

KEGEL et al

Appl. No. 10/593,585

May 4, 2011

v) pre-fetching code executable by said one or more data processors to:

a) analyse response media file metadata items provided in response to said query to find

said reference(s) to one or more other-related media file metadata items-semantically related to

said response media file metadata items; and

b) use said reference(s) to automatically generate another query for said related media file

metadata items.

2. (Canceled)

3. (Currently Amended) Computer apparatus The computer system according to

claim 1 comprising a client computer and a server computer, each having at least one of said

processors, said server computer having control over said persistent memory and said client

computer having control over said volatile memory.

4. (Currently Amended) The computer system Computer apparatus according to

claim 3 wherein said media file metadata items are transferred in the form of pages of memory.

5. (Currently Amended) The computer system Computer apparatus according to

claim 3 in which said server computer resolves said query and sends the selected media file

metadata items to said client computer.

- 3 -

6. (Currently Amended) The computer system Computer apparatus according to

claim 3 in which said server eomputer sends said media file metadata items to said client

computer and said client computer resolves said query.

(Currently Amended) The computer system Computer apparatus according to

claim 1 wherein said media file metadata items are software objects.

8. (Currently Amended) A method of operating a computer apparatus system

comprising a processor and first and second data stores accessible to said processor, access by

said processor to data held in said first store being quicker than access to said second store, said

method comprising the steps of:

storing a plurality of media file metadata items in said second data store, together with

relationship data comprising reference(s) to one or more related media file metadata items  $\underline{\mathrm{where}}$ 

 $\underline{one\ or\ morc\ of\ the\ plurality\ of\ media\ file\ metadata\ items\ stored\ together\ with\ relationship\ data}$ 

comprising the reference(s) is about a media file which encodes content that has been judged by

an editor to be semantically-related to the content encoded by the media file(s) associated with

the media file metadata item(s) to which the reference(s) referwhose metadata is about a media

file whose content has been judged by a human to be semantically related to said media file

metadata item: and

executing a process on said processor to:

i) fetch one or more media file metadata items from said second store together with said

relationship data including said reference(s) to one or more related media file metadata items

semantically related to said fetched media file metadata item;

- 4 -

KEGEL et al

Appl. No. 10/593,585

May 4, 2011

ii) responsive to receipt of said relationship data, use said reference(s) to fetch one or

more of said semantically-related media file metadata items from said second memory to said

first memory; and

iii) check, on subsequent requests for a media file metadata item, whether said requested

media file metadata item is present in said first store and read said media file metadata item from

said first store if found.

9. (Previously Presented) A method according to claim 8 in which said media file

metadata items comprise an identifier of a media file and metadata representing what is

portrayed by said identified media file.

10. (Original) A method according to claim 8 in which said second store holds a

database.

- 5 -